

**ASME BPE-2022**  
(Revision of ASME BPE-2019)

# Bioprocessing Equipment

---

**AN INTERNATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME BPE-2022**  
(Revision of ASME BPE-2019)

# **Bioprocessing Equipment**

---

**AN INTERNATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: April 29, 2022

The next edition of this Standard is scheduled for publication in 2024. This Standard will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically, certain actions of the ASME BPE Committee may be published as Cases. Cases and interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....		xiii
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising		xv
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items .....		xv
Committee Roster .....		xvi
Correspondence With the BPE Committee .....		xxi
Summary of Changes .....		xxiii
<b>Chapter 1</b>	<b>Introduction, Scope, and General Requirements .....</b>	<b>1</b>
<b>Part GR</b>	<b>General Requirements .....</b>	<b>1</b>
GR-1	Introduction .....	1
GR-2	Scope of the ASME BPE Standard .....	1
GR-3	Manufacturer's Quality Assurance Program .....	2
GR-4	Examination, Inspection, and Testing .....	2
GR-5	Documentation .....	6
GR-6	U.S. Customary and SI Units .....	8
GR-7	References .....	8
GR-8	Terms and Definitions .....	10
GR-9	Nomenclature .....	19
<b>Chapter 2</b>	<b>Certification .....</b>	<b>20</b>
<b>Part CR</b>	<b>Certification Requirements .....</b>	<b>20</b>
CR-1	Purpose and Scope .....	20
CR-2	General .....	20
<b>Chapter 3</b>	<b>Materials .....</b>	<b>23</b>
<b>Part MM</b>	<b>Metallic Materials .....</b>	<b>23</b>
MM-1	Purpose and Scope .....	23
MM-2	Alloy Designations .....	23
MM-3	Uses of Specifications .....	23
MM-4	Referenced Specifications .....	27
MM-5	Base Metals and Filler Materials .....	29
MM-6	Mechanical Properties and Leak Testing .....	37
MM-7	Positive Material Identification .....	37
MM-8	Corrosion-Resistance Requirements .....	37
MM-9	Minimum Requirements for Alloys in Part MM .....	39
<b>Part PM</b>	<b>Polymeric and Other Nonmetallic Materials .....</b>	<b>41</b>
PM-1	Purpose and Scope .....	41
PM-2	Materials .....	41
PM-3	Properties and Performance .....	46
PM-4	Applications .....	48
<b>Chapter 4</b>	<b>Design for Multiuse .....</b>	<b>52</b>

<b>Part SD</b>	<b>Systems Design for Multiuse</b> .....	52
SD-1	Purpose and Scope .....	52
SD-2	General Guidelines .....	52
SD-3	Process Components and Equipment .....	56
SD-4	Process Utility Systems .....	102
SD-5	Process Systems .....	107
SD-6	Process Support Systems .....	131
SD-7	Design Conformance Testing .....	154
<b>Chapter 5</b>	<b>Process Components for Multiuse</b> .....	156
<b>Part DT</b>	<b>Dimensions and Tolerances for Process Components</b> .....	156
DT-1	Purpose and Scope .....	156
DT-2	Pressure Rating .....	156
DT-3	Wall Thickness .....	156
DT-4	Dimensions .....	156
DT-5	Materials .....	157
DT-6	Tests .....	157
DT-7	Tolerances .....	157
DT-8	Weld Ends .....	157
DT-9	Hygienic Clamp Unions .....	157
DT-10	Minimum Examination Requirements .....	158
DT-11	Marking .....	159
DT-12	Packaging .....	159
<b>Part PI</b>	<b>Process Instrumentation for Multiuse</b> .....	194
PI-1	Purpose and Scope .....	194
PI-2	Process Instrumentation General Requirements .....	194
PI-3	Instrument Receiving, Handling, and Storage .....	197
PI-4	Flowmeters .....	197
PI-5	Level Instruments .....	202
PI-6	Pressure Instruments .....	203
PI-7	Temperature Sensors and Associated Components .....	206
PI-8	Analytical Instruments .....	211
PI-9	Optical .....	215
<b>Part MC</b>	<b>Components for Multiuse</b> .....	219
MC-1	Purpose and Scope .....	219
MC-2	Sealing Component Types .....	219
MC-3	Sealing Components General Design Requirements (General Provisions) .....	237
MC-4	Seal Performance Requirements .....	243
MC-5	Seal Applications .....	245
<b>Chapter 6</b>	<b>Fabrication, Assembly, and Erection for Multiuse</b> .....	248
<b>Part MJ</b>	<b>Materials Joining for Multiuse</b> .....	248
MJ-1	Purpose and Scope .....	248
MJ-2	Materials .....	248
MJ-3	Joint Design and Preparation .....	249
MJ-4	Joining Processes and Procedures .....	252
MJ-5	Procedure Qualifications .....	252

MJ-6	Performance Qualifications . . . . .	252
MJ-7	Examination, Inspection, and Testing . . . . .	253
MJ-8	Acceptance Criteria . . . . .	254
MJ-9	Joining of Polymeric Materials . . . . .	255
MJ-10	Documentation Requirements . . . . .	270
MJ-11	Passivation . . . . .	270
<b>Part SF</b>	<b>Process Contact Surface Finishes for Multiuse . . . . .</b>	<b>272</b>
SF-1	Purpose and Scope . . . . .	272
SF-2	Metallic Applications . . . . .	272
SF-3	Polymeric Applications . . . . .	275
<b>Chapter 7</b>	<b>Design for Single-Use . . . . .</b>	<b>277</b>
<b>Part SU</b>	<b>Systems Design for Single-Use . . . . .</b>	<b>277</b>
SU-1	General . . . . .	277
SU-2	General Guidelines . . . . .	277
SU-3	Integrity . . . . .	277
SU-4	Biocompatibility . . . . .	277
SU-5	Extractables and Leachables . . . . .	277
SU-6	Identification . . . . .	278
SU-7	Certificate of Conformance . . . . .	278
SU-8	Inspection and Packaging . . . . .	278
SU-9	Sterilization (Bioburden Control) . . . . .	278
SU-10	Shelf Life, Storage, and Expiration Date . . . . .	278
SU-11	Particulates . . . . .	279
<b>Chapter 8</b>	<b>Process Components for Single-Use . . . . .</b>	<b>280</b>
<b>Part SC</b>	<b>Components for Single-Use . . . . .</b>	<b>280</b>
SC-1	Steam-Through and Steam-To Connectors . . . . .	280
SC-2	Aseptic Connectors . . . . .	280
SC-3	Flexible Bioprocess Containers (Bags) . . . . .	280
SC-4	Polymeric Hygienic Unions . . . . .	281
<b>Chapter 9</b>	<b>Fabrication, Assembly, and Erection for Single-Use . . . . .</b>	<b>282</b>
<b>Part SJ</b>	<b>Joining Methods for Single-Use . . . . .</b>	<b>282</b>
SJ-1	General . . . . .	282
SJ-2	Mechanical Hose Barb Connections . . . . .	282
SJ-3	Thermal Welding of Thermoplastic Elastomer Tubing . . . . .	282
 <b>Mandatory Appendices</b>		
I	Submittal of Technical Inquiries to the Bioprocessing Equipment (BPE) Committee . . . . .	284
II	Standard Units . . . . .	285
III	Single-Use Components and Assemblies . . . . .	286
IV	Nomenclature . . . . .	287
 <b>Nonmandatory Appendices</b>		
A	Commentary: Slag and Oxide Islands . . . . .	289
B	Material and Weld Examination/Inspection Documentation . . . . .	290
C	Slope Measurement and Joint Misalignment . . . . .	294

D	Rouge and Stainless Steel . . . . .	295
E	Passivation Procedure Qualification . . . . .	303
F	Corrosion Testing . . . . .	311
G	Ferrite . . . . .	314
H	Electropolishing Procedure Qualification . . . . .	315
J	Vendor Documentation Requirements for New Instruments . . . . .	317
K	Standard Process Test Conditions (SPTC) for Seal Performance Evaluation . . . . .	320
L	Standard Test Methods for Polymers . . . . .	330
M	Spray Device Coverage Testing . . . . .	333
N	Commentary: UNS S31603 Weld Heat-Affected Zone Discoloration Acceptance Criteria . . . . .	335
O	Guidance When Choosing Polymeric and Nonmetallic Materials . . . . .	336
P	General Background/Useful Information for Extractables and Leachables . . . . .	337
Q	Temperature Sensors and Associated Components . . . . .	340
R	Instrument Receiving, Handling, and Storage . . . . .	342
S	Application Data Sheet . . . . .	343
T	Guidance on Polymer Applications: Chromatography Columns and Filtration . . . . .	345
U	Guidance for the Use of U.S. Customary and SI Units . . . . .	348
W	Positive Material Identification . . . . .	350
Y	Procurement Sources . . . . .	353
Z	Quality Management System . . . . .	354
AA	Static Seals Application Guide for Compendial Water Systems . . . . .	358
BB	Mechanical Seal Face Material Selection for Compendial Water Pumps . . . . .	361
CC	Examination, Inspection, and Testing Cross-References . . . . .	363
DD	Conductivity Sensor Selection Guide . . . . .	366
EE	Vessel Flange, Agitator, and Mechanical Seal Design for Bottom-Mount Agitators . . . . .	368
FF	Leak Test Methods for Single-Use Components and Assemblies . . . . .	378
GG	Single-Use Mechanical Hose Barb Design Recommendations . . . . .	383

**Figures**

CR-1-1	The ASME Single Certification Mark With the BPE Certification Designator . . . . .	20
SD-3.1.1-1	Flat Gasket Applications . . . . .	57
SD-3.1.2.2-1	Accepted Point-of-Use Designs . . . . .	61
SD-3.1.2.3-1	Double Block-and-Bleed Valve Assembly . . . . .	62
SD-3.2.1-1	Flexible Hygienic Hose Design . . . . .	64
SD-3.3.2.2-1	Pump Impeller Configurations . . . . .	65
SD-3.3.2.2-2	Acceptable Impeller Attachments . . . . .	66
SD-3.3.2.2-3	Casing Drain Configurations . . . . .	67
SD-3.3.2.2-4	Casing Drain <i>L/d</i> Ratios . . . . .	68
SD-3.3.2.4-1	Rotary Lobe Pump Rotor Attachment . . . . .	69
SD-3.4.2-1	Nozzle Design . . . . .	70
SD-3.4.2-2	Side and Bottom Connections . . . . .	71
SD-3.4.2-3	Sidewall Nozzles . . . . .	72
SD-3.4.2-4	Vessel Design Tangential Nozzles . . . . .	73
SD-3.4.2-5	Typical Nozzle Detail . . . . .	73
SD-3.4.3-1	Accepted Nozzle Penetrations . . . . .	75

SD-3.4.3-2	Internal Components . . . . .	76
SD-3.4.6-1	Sight Glass Design (Accepted) . . . . .	77
SD-3.5.1-1	Agitator Mounting Flanges . . . . .	79
SD-3.5.2-1	Shaft Coupling Construction . . . . .	80
SD-3.5.2-2	Shaft Coupling Seal Arrangements . . . . .	81
SD-3.5.2-3	Fastener Seal Arrangements: Alternative Bolting Designs . . . . .	83
SD-3.5.5-1	Shaft-Steady Bearing . . . . .	84
SD-3.5.5-2	Magnetically Coupled Mixer (Typical Bottom-Mount) . . . . .	85
SD-3.6.2-1	Double Tubesheet Heat Exchanger Bonnet Design . . . . .	86
SD-3.7.1-1	Transfer Panel Looped Headers . . . . .	88
SD-3.7.2-1	Transfer Panel Tolerances . . . . .	89
SD-3.7.4-1	Transfer Panel Jumpers . . . . .	91
SD-3.9.1-1	Dynamic Spray Device: Single Axis . . . . .	94
SD-3.9.1-2	Two-Axis Dynamic Spray Device . . . . .	95
SD-3.9.2.1-1	Static Spray Device . . . . .	96
SD-3.9.2.1-2	Flow Rate Guideline for Vertical Cylindrical Vessels . . . . .	96
SD-3.9.2.1-3	Flow Rate Guideline for Horizontal Cylindrical Vessels . . . . .	97
SD-3.9.2.3-1	Impact Pattern Buildup . . . . .	98
SD-3.12-1	Steam Traps for Clean Steam Systems . . . . .	99
SD-3.17.1-1	Example Strainer Types . . . . .	100
SD-4.1.2.1-1	Point-of-Use Piping . . . . .	103
SD-4.1.2.2-1	Physical Break in Point-of-Use Piping . . . . .	104
SD-4.2.2-1	Typical Clean Steam System Isometric . . . . .	105
SD-4.2.2-2	Clean Steam Point-of-Use Design . . . . .	106
SD-5.1.4.4-1	Gas Sparging Assembly — Lance . . . . .	108
SD-5.1.4.4-2	Gas Sparging Assembly — Sintered . . . . .	109
SD-5.1.4.4-3	Gas Sparging Assembly — Ring . . . . .	110
SD-5.1.4.4-4	Gas Sparging Assembly — Single Orifice . . . . .	111
SD-5.1.4.7-1	Exhaust Gas Condenser . . . . .	113
SD-5.1.4.7-2	Exhaust Gas Heater . . . . .	113
SD-5.1.4.7-3	Electrically Heat Traced Filter Housing . . . . .	114
SD-5.1.5-1	Fermentor Sterile Envelope . . . . .	115
SD-5.1.5-2	Bioreactor Sterile Envelope . . . . .	116
SD-5.2.1-1	Cell Disruptor Process Flow Schematic Diagram . . . . .	118
SD-5.4.5.1-1	Tank/Vessel Vent Fillers . . . . .	123
SD-5.6.4-1	Typical Lyophilizer Component Assembly . . . . .	125
SD-5.6.5-1	Lyophilizer Sterile Boundary . . . . .	129
SD-6.3.4.1.1-1	Conical Vessel With Reduced Bottom Outlet, or Tulip Tank . . . . .	137
SD-6.3.4.2-1	CIP Looped Header (Supply or Return) . . . . .	138
SD-6.3.4.2-2	Zero-Static Chain . . . . .	139
SD-6.3.4.2-3	Swing Elbow Arrangement . . . . .	139
SD-6.3.4.2-4	Mix-Proof Valve Array . . . . .	140
SD-6.4.1.1-1	Example of HTST Process Flow Schematic Diagram . . . . .	143
SD-6.4.1.1-2	Example of Direct Steam Injection UHT Process Flow Schematic Diagram . . . . .	144
SD-6.4.4.5-1	Example of Additional Retention Tube Length Required to Account for Axial Mixing . . . . .	146



SD-6.5.4.2-1	Immersion Tank Side Nozzle Design . . . . .	149
DT-9.4-1	Clamp Conditions at Installation . . . . .	192
PI-2.2.1-1	In-Line and At-Line Instrument Installation Examples . . . . .	195
PI-2.2.2-1	Accepted Insertion Device Installation Examples . . . . .	196
PI-4.1.3.2-1	Manifold or Flow Splitter for Dual-Tube Construction Flowmeters and Potential for Product Holdup . . . . .	198
PI-4.1.3.3-1	Concentrically Reducing Process Connection . . . . .	198
PI-4.1.4.3-1	Vertical Installation . . . . .	200
PI-4.1.4.4-1	Minimum Angle of Inclination, $\alpha$ . . . . .	200
PI-4.2.2-1	Typical Turbine Flowmeters . . . . .	201
PI-5.1.2.1-1	Bulb, Horn, Isolated Horn, and Rod-Style Antenna . . . . .	203
PI-5.1.3.3-1	Dead Band, Measuring Range, and Mounting Location . . . . .	204
PI-6.1.2-1	Accepted Orientation and Flow . . . . .	205
PI-7.3-1	Typical Installation Styles . . . . .	206
PI-7.3.4-1	Accepted Elbow Orientations and Flow Directions . . . . .	207
PI-7.3.4-2	Accepted Nonintrusive Orientations and Flow Directions . . . . .	208
PI-7.3.5-1	Sensor Insertion Lengths for Tee Installations . . . . .	209
PI-7.3.5-2	Sensor Insertion Lengths for Elbow Installations . . . . .	210
PI-8.1.2-1	Conductivity Sensor Components . . . . .	212
PI-8.1.3.2-1	Acceptable Orientations for Conductivity Sensors . . . . .	213
PI-8.1.3.4-1	Installation Clearance Requirements . . . . .	213
PI-8.2.2-1	pH Sensor Components . . . . .	214
PI-8.2.3.3-1	Accepted Mounting Orientations . . . . .	215
PI-9.1.3.2-1	Vessel Light Glass Design and Mounting . . . . .	217
PI-9.1.3.4-1	In-Line Insertion Length . . . . .	218
PI-9.1.3.4-2	Insertion Probe Length . . . . .	218
MC-2.2.2-1	Hygienic Union per Table DT-7.1-1 . . . . .	220
MC-2.2.2-2	Hygienic Clamp Union per Table DT-7.1-1 . . . . .	220
MC-2.2.2-3	Hygienic Union per DIN 11864 . . . . .	221
MC-2.2.2-4	Hygienic Clamp Union per DIN 11864 . . . . .	221
MC-2.2.2-5	Nonhygienic Connections . . . . .	222
MC-2.3.1.2-1	Weir Valves . . . . .	224
MC-2.3.1.2-2	Radial Valves . . . . .	224
MC-2.3.1.2-3	Weirless Diaphragm Valve . . . . .	225
MC-2.3.1.2-4	Linear Control Valves . . . . .	225
MC-2.3.1.2-5	Regulator Valve . . . . .	226
MC-2.3.1.3-1	Ball Valves . . . . .	226
MC-2.3.1.4-1	Rising Stem Single, Double-Seat Mix-Proof, and Needle Valves . . . . .	227
MC-2.3.1.5-1	Butterfly Valve . . . . .	227
MC-2.3.1.7-1	Back Pressure Control Valve . . . . .	227
MC-2.3.1.8-1	Pinch Valve . . . . .	228
MC-2.3.1.9-1	Pressure Relief and Check Valves . . . . .	229
MC-2.3.1.10-1	Plug Valve . . . . .	230
MC-2.3.2.2-1	Single Mechanical Seal . . . . .	231
MC-2.3.2.2-2	Single Seal for Top-Entry Agitator . . . . .	231

MC-2.3.2.3-1	Dual Mechanical Seal–Pressurized for Pumps . . . . .	231
MC-2.3.2.3-2	Dual Mechanical Seal–Pressurized for Top-Entry Agitator . . . . .	231
MC-2.3.2.3-3	Dual Mechanical Seal–Unpressurized for Pumps . . . . .	232
MC-2.3.2.4-1	Flush Plan 01 . . . . .	233
MC-2.3.2.4-2	Flush Plan 02 . . . . .	233
MC-2.3.2.4-3	Flush Plan 03 . . . . .	233
MC-2.3.2.4-4	Flush Plan 11 . . . . .	234
MC-2.3.2.4-5	Flush Plan 32 . . . . .	234
MC-2.3.2.4-6	Flush Plan 52 for Pump . . . . .	234
MC-2.3.2.4-7	Flush Plan 52 for Top-Entry Agitator . . . . .	235
MC-2.3.2.4-8	Flush Plan BPE52 for Pump . . . . .	235
MC-2.3.2.4-9	Flush Plan 53 for Pump . . . . .	235
MC-2.3.2.4-10	Flush Plan 53 for Top-Entry Agitator . . . . .	235
MC-2.3.2.4-11	Flush Plan 54 for Pump . . . . .	236
MC-2.3.2.4-12	Flush Plan 54 for Top-Entry Agitator . . . . .	236
MC-2.3.2.4-13	Flush Plan 55 for Pump . . . . .	236
MC-2.3.2.4-14	Flush Plan 55 for Top-Entry Agitator . . . . .	236
MC-2.3.2.4-15	Flush Plan 74 for Pump . . . . .	237
MC-2.3.2.4-16	Flush Plan 74 for Top-Entry Agitator . . . . .	237
MC-3.3.2.2-1	Examples of Static O-Ring Grooves . . . . .	239
MC-3.3.2.3-1	Seals for Rising Stem Valves . . . . .	241
MC-4.2-1	Typical Hygienic Clamp Union: Allowable Gasket Intrusion . . . . .	244
MJ-3.2-1	Unacceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations . . . . .	250
MJ-3.2-2	Acceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations . . . . .	251
MJ-8.4-1	Acceptable and Unacceptable Weld Profiles for Groove Welds on Metallic Tube-to-Tube Butt Joints . . . . .	262
MJ-8.4-2	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Electropolished UNS S31603 Tubing . . . . .	263
MJ-8.4-3	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Mechanically Polished UNS S31603 Tubing . . . . .	264
MJ-8.4-4	Acceptable and Unacceptable Metallic Weld Bead Width and Meander on Non-Process Contact Surfaces of Groove Welds on Tube-to-Tube Butt Joints . . . . .	265
MJ-8.5-1	Acceptable Weld Profiles for Metallic Tube-Attachment Fillet Welds . . . . .	268
MJ-9.7.1-1	Acceptable and Unacceptable Weld Profiles for Polymeric Beadless Welds . . . . .	271
K-1.3.2.1-1	Weir-Style Diaphragm . . . . .	322
K-1.3.2.1-2	Weir-Style Body . . . . .	325
K-1.3.2.1-3	Radial-Style Body . . . . .	325
K-1.3.2.1-4	Manual Bonnet . . . . .	326
K-1.3.2.1-5	Pneumatic . . . . .	326
P-4-1	Flowchart of Bioprocessing Equipment/Component Evaluation Related to Extractables and Leachables Characterization . . . . .	339
BB-1-1	Mechanical Seal Face Material Selection for Compensial Water Pumps . . . . .	361
DD-2.1.1-1	Conductivity Scale . . . . .	367
EE-3-1	Direct-Mount Agitator . . . . .	369
EE-3-2	Pedestal-Mount Agitator . . . . .	370
EE-3.1-1	Registered Fit to Ensure Concentricity: Seal Housing-to-Drive Pilot . . . . .	371

EE-3.2-1	Dual Mechanical Seal Assembly . . . . .	372
EE-3.2-2	Seal Assembly to Flange O-Ring Detail . . . . .	373
EE-3.3-1	Vessel Flange With Piloted Bore . . . . .	375
EE-3.3-2	Vessel Flange Tolerance Parameters . . . . .	376
GG-1.2-1	Typical Polymeric Single-Use Hose Barb Featuring Mono-Barb Design . . . . .	383

**Tables**

GR-4.2-1	Quality Inspector’s Delegate Capabilities . . . . .	3
CR-1-1	Types of ASME BPE Certificates . . . . .	20
MM-2.1-1	Wrought Stainless Steels: Nominal Compositions (wt. %) . . . . .	24
MM-2.1-2	Wrought Nickel Alloys: Nominal Compositions (wt. %) . . . . .	25
MM-2.1-3	Stainless Steel and Nickel Alloy Cast Designations . . . . .	26
MM-2.1-4	Wrought Copper: Nominal Compositions (wt. %) (Cleaned for Oxygen Service) . . . . .	27
MM-5.2.1.1-1	Predicted Ferrite Number (FN) Ranges for Various Austenitic Stainless Steel Product Forms and Welds . . . . .	29
MM-5.2.5-1	Materials for OEM Equipment . . . . .	30
MM-5.3-1	Filler Metals for Austenitic Stainless Steels . . . . .	31
MM-5.3-2	Filler Metals for Superaustenitic Stainless Steels . . . . .	33
MM-5.3-3	Filler Metals for Duplex Stainless Steels . . . . .	34
MM-5.3-4	Filler Metals for Nickel Alloys . . . . .	35
MM-5.3.4-1	Brazing Filler Metals for Copper . . . . .	38
MM-5.3-5	Consumable Inserts for Superaustenitic and Duplex Stainless Steels . . . . .	36
MM-5.4-1	Solution Anneal Heat Treatment Requirements for Superaustenitic and Duplex Stainless Steels . . . . .	39
PM-2.1.1-1	Common Thermoplastic Polymers and Applications . . . . .	42
PM-2.1.2-1	Common Thermoset Polymers and Applications . . . . .	42
PM-2.1.3-1	Examples of Nonmetallics . . . . .	43
PM-2.2.1-1	Content Required on the Certificate of Conformance . . . . .	44
PM-2.2.3.2-1	Change Levels and Minimum Change Notification Requirements . . . . .	45
PM-4.2.1-1	Size Comparison of Common Thermoplastic Sizing Standards . . . . .	49
SD-2.4.3.1-1	Slope Designations for Drainable Lines . . . . .	55
SD-3.1.2.2-1	<i>L/d</i> Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee With Blind Cap . . . . .	58
SD-3.1.2.2-2	<i>L/d</i> Dimensions for Flow-Through Tee: Short-Outlet Reducing Tee With Blind Cap . . . . .	59
SD-3.4.3-1	Annular Spacing Recommendations for Hygienic Dip Tubes . . . . .	74
SD-6.3.5.2.1-1	Flow Rates to Achieve 5 ft/sec (1.5 m/s) . . . . .	141
DT-2-1	Metallic Fittings: Rated Internal Working Pressure . . . . .	159
DT-3-1	Final Tolerances for Mechanically Polished Fittings and Process Components, Excluding Tube . . . . .	160
DT-3-2	Final Tolerances for Electropolished Fittings and Process Components, Excluding Tube . . . . .	161
DT-4-1	Nominal O.D. Tubing Sizes . . . . .	161
DT-4.1-1	Tangent Lengths . . . . .	162
DT-4.1.1-1	Automatic Tube Weld: 90-deg Elbow . . . . .	162
DT-4.1.1-2	Automatic Tube Weld: Hygienic Clamp Joint, 90-deg Elbow . . . . .	163
DT-4.1.1-3	Hygienic Clamp Joint: 90-deg Elbow . . . . .	163
DT-4.1.1-4	Automatic Tube Weld: 45-deg Elbow . . . . .	164
DT-4.1.1-5	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow . . . . .	164

DT-4.1.1-6	Hygienic Clamp Joint: 45-deg Elbow . . . . .	165
DT-4.1.1-7	Automatic Tube Weld: 180-deg Return Bend . . . . .	165
DT-4.1.1-8	Hygienic Clamp Joint: 180-deg Return Bend . . . . .	166
DT-4.1.1-9	Automatic Tube Weld: 88-deg Elbow . . . . .	166
DT-4.1.1-10	Automatic Tube Weld: 92-deg Elbow . . . . .	167
DT-4.1.2-1	Automatic Tube Weld: Straight Tee and Cross . . . . .	167
DT-4.1.2-2	Automatic Tube Weld: Short-Outlet Hygienic Clamp Joint Tee . . . . .	168
DT-4.1.2-3	Hygienic Mechanical Joint: Short-Outlet Run Tee . . . . .	168
DT-4.1.2-4	Hygienic Clamp Joint: Straight Tee and Cross . . . . .	169
DT-4.1.2-5	Hygienic Clamp Joint: Short-Outlet Tee . . . . .	169
DT-4.1.2-6	Automatic Tube Weld: Reducing Tee . . . . .	170
DT-4.1.2-7	Automatic Tube Weld: Short-Outlet Hygienic Clamp, Joint Reducing Tee . . . . .	171
DT-4.1.2-8	Hygienic Clamp Joint: Reducing Tee . . . . .	172
DT-4.1.2-9	Hygienic Clamp Joint: Short-Outlet Reducing Tee . . . . .	173
DT-4.1.2-10	Automatic Tube Weld: Instrument Tee . . . . .	173
DT-4.1.2-11	Hygienic Clamp Joint: Instrument Tee . . . . .	174
DT-4.1.2-12	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Tee . . . . .	174
DT-4.1.2-13	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Reducing Tee . . . . .	175
DT-4.1.3-1	Automatic Tube Weld: Concentric and Eccentric Reducer . . . . .	176
DT-4.1.3-2	Hygienic Clamp Joint: Tube Weld Concentric and Eccentric Reducer . . . . .	177
DT-4.1.3-3	Hygienic Clamp Joint: Concentric and Eccentric Reducer . . . . .	178
DT-4.1.4-1	Automatic Tube Weld: Ferrule . . . . .	179
DT-4.1.5-1	Automatic Tube Weld: Cap . . . . .	179
DT-4.1.5-2	Hygienic Clamp Joint: Solid End Cap . . . . .	180
DT-4.4.1-1	Hygienic Clamp Joint: Two-Way, Weir-Style Diaphragm Valve . . . . .	181
DT-4.5.1-1	Tapered Locking Tab Retainer: Recessed . . . . .	182
DT-4.5.2-1	Tapered Locking Tab Retainer: External . . . . .	183
DT-7.1-1	Metallic Hygienic Clamp Ferrule Standard Dimensions and Tolerances . . . . .	184
DT-7.1-2	Polymeric Hygienic Clamp Ferrule Standard Dimensions and Tolerances . . . . .	187
DT-7.3-1	Transfer Panel and Jumper Tolerances . . . . .	190
DT-9.3-1	Hygienic Clamp Ferrule: Design Criteria . . . . .	191
DT-11.1.1-1	Minimum Required Marking Information . . . . .	193
MJ-6.3-1	Metallic Tube/Pipe Diameter Limits for Orbital GTAW Performance Qualification . . . . .	253
MJ-6.3-2	Metallic Weld Thickness Limits for Orbital GTAW Performance Qualification . . . . .	253
MJ-8.2-1	Visual Examination Acceptance Criteria for Welds on Metallic Pressure Vessels and Tanks	256
MJ-8.3-1	Visual Examination Acceptance Criteria for Welds on Metallic Pipe . . . . .	258
MJ-8.4-1	Visual Examination Acceptance Criteria for Groove Welds on Metallic Tube-to-Tube Butt Joints . . . . .	260
MJ-8.5-1	Visual Examination Acceptance Criteria for Metallic Tube-Attachment Welds . . . . .	266
MJ-9.7.1-1	Visual Examination Acceptance Criteria for Polymeric Pipe Beadless Welds . . . . .	270
SF-2.2-1	Acceptance Criteria for Metallic Process Contact Surface Finishes . . . . .	273
SF-2.2-2	Additional Acceptance Criteria for Electropolished Metallic Process Contact Surface Finishes	273
SF-2.4.1-1	$R_a$ Readings for Metallic Process Contact Surfaces . . . . .	274
SF-2.6-1	Acceptance Criteria for Metallic Passivated Process Contact Surface Finishes . . . . .	275
SF-3.3-1	Acceptance Criteria for Polymeric Process Contact Surface Finishes . . . . .	276

SF-3.4-1	$R_a$ Readings for Polymeric Process Contact Surfaces . . . . .	276
II-1	Standard Units . . . . .	285
D-2-1	Considerations That Affect the Amount of Rouge Formation During the Fabrication of a System . . . . .	297
D-2-2	Considerations That Affect the Amount of Rouge Formation During the Operation of a System . . . . .	298
D-3.1-1	Process Fluid Analyses for the Identification of Mobile Constituents of Rouge . . . . .	299
D-3.2-1	Solid Surface Analyses for the Identification of Surface Layers Composition . . . . .	300
D-4.1-1	Rouge Remediation Processes Summary . . . . .	301
E-3.2-1	Minimum Surface Requirements for Process Qualification Samples . . . . .	304
E-3.2-2	Passivation Processes . . . . .	305
E-5-1	Test Matrix for Evaluation of Cleaned and Passivated Surfaces . . . . .	307
F-1-1	ASTM Corrosion Tests . . . . .	312
F-3-1	PRE Numbers for Stainless Steels as per Table MM-2.1-1 and for Nickel Alloys as per Table MM-2.1-2 . . . . .	313
H-3.3-1	Minimum Surface Requirements for Process Qualification Samples . . . . .	316
J-1.1-1	Vendor Documentation Requirements for New Instruments: Section 1, VDR Definitions . . . . .	318
J-1.2-1	Vendor Documentation Requirements for New Instruments: Section 2, Instrument Types and Required Documents . . . . .	319
L-3-1	Thermoset Polymer Test Properties . . . . .	331
L-4-1	Interpretation of Thermoset Material Property Changes . . . . .	332
AA-1-1	Static Seals for Use in Compensial Water Systems (MC-2.2.1) . . . . .	359
DD-2.6-1	Technological Considerations . . . . .	367
EE-3.3-1	Vessel Flange Bore per Shaft Diameter . . . . .	374
EE-3.3-2	Vessel Flange Fabrication Tolerance Guidelines . . . . .	377
FF-1	Leak Test, Nondestructive Methods . . . . .	379
FF-2	Leak Test, Destructive Methods . . . . .	381
GG-2-1	Typical Retention Devices by Tubing Type and Operating Pressure . . . . .	384
 <b>Forms</b>		
MEL-1	Material Examination Log . . . . .	291
MER-1	Material Examination Record . . . . .	292
WEL-1	Weld and Examination Inspection Log . . . . .	293
S-1	Application Data Sheet . . . . .	344
 <b>Index</b> . . . . .		
		385